

# MACH

FLOOR CLEANING MACHINES



made in Italy



SCRUBBER-DRYER LINE

# M460

PRECISE CLEANING IN RESTRICTED SPACES

WALK-BEHIND SCRUBBER-DRYER



MECHANICAL®

# M460

## WALK-BEHIND SCRUBBER-DRYER

### Precise cleaning in confined spaces

The only 460 mm walk-behind scrubber-dryer that can clean and dry in the angles which are inaccessible to traditional scrubber-dryers. The M460's compact design and maneuverability allow it to access hard to reach areas and to obtain perfect cleaning results around objects and obstacles.

The M460's 460 mm cleaning path, and 3,5 km/h operating speed guarantee an hourly productivity rate of 1.600 m<sup>2</sup>/h.

It is impossible to clean a floor properly without sufficient water. The M460's tanks have an impressive capacity, the 28 L solution tank and 30 L recovery tank, provide the water flow necessary to obtain real results. These large tanks are a unique feature, making it possible to clean for longer without interrupting the job in hand to empty and refill the tanks.

There are 2 versions available:

- AGM: 2 x 12V batteries, providing maximum freedom to move around the space being cleaned
- CABLE: with a power cord, for unlimited running time



### SOLUTION FLOW



It is impossible to properly clean a floor without sufficient water. The M460 has a 28 L capacity solution tank, which makes it possible to deliver the perfect volume of water to obtain exceptional results.

### DRYING AND WATER PICK-UP



The innovate water pickup system, guarantees optimum dirt removal and perfect drying. Leaving behind a clean and dry floor which is immediately ready for traffic.

### TOOL FREE BRUSH CHANGE



Choose the brush or abrasive pad best suited to your floors. We offer a wide range of solutions, which can be easily changed without the need for tools.

### ONBOARD BATTERY CHARGER



Two 12V batteries provide 2 hours and 10 minutes of continuous uptime with every charge cycle. The onboard battery charger is protected in a steel case and is easy to access.

### FEATURES

- Brush drive
- Battery included
- Onboard battery charger
- Automatic brush coupling system
- Battery charge level indicator
- PPL Brush
- The M460 has a 460 mm cleaning path, and a 3,5 km/h operating speed, which guarantee an hourly productivity rate of 1.610 m<sup>2</sup>/h.
- 28 L solution tank and 30 L recovery tank
- The machine is available in battery version, with two 12V batteries which guarantee an impressive uptime of 2 hours and 10 minutes, and in cable version, providing unlimited uptime
- Also available in Chrome<sup>®</sup> version, with a stainless-steel frame

## TOTAL COMFORT

The M460 has an ergonomic handle, which can be adjusted to the height of the operator for maximum comfort during use.



## SAFETY

For added safety the M460 has a starter key. The brush motor and electric circuit are protected by a resettable fuse, which interrupts the power supply should an anomaly occur.



## CHROME®

For greater resistance in corrosive environments and enhanced durability, in the M460 Chrome® version the frame and select metal components are made of stainless steel.



CHROME®

## INTELLIGENT DESIGN

The recovery tank, with integrated handle, is easy to remove and comfortable to transport. The water/air vacuum tubes are protected inside the frame and are connected to the tank via a locking mechanism and silicon gaskets.



## M - MECHANICAL



**MECHANICAL®**

Created following the "Electronic-Free" philosophy, the functions of an M line machine are mechanically activated. This ensures the unit is simple to use and easy to maintain, suitable even for inexperienced operators.

### VERSIONS

M460 AGM /LI-ION (Two 12V batteries, 2 hours and 10 minutes of uptime)  
M460 CABLE (with a power cord, unlimited uptime)

### APPLICATIONS

Restaurants, kitchens, bars, gyms, swimming pools, changing rooms, hospitals, small manufacturing facilities, supermarkets, offices, shops and other small to medium sized surfaces.

### SURFACES

Ceramic, marble, cement, linoleum, porcelain tiles, rubber.

	M460 AGM	M460 CABLE
CLEANING PATH	460 mm	460 mm
FORWARD SPEED	3,5 km/h	3,5 km/h
HOURLY PERFORMANCE	1.610 m <sup>2</sup> /h	1.610 m <sup>2</sup> /h
SOLUTION TANK CAPACITY	28 L	28 L
RECOVERY TANK CAPACITY	30 L	30 L
BRUSH PRESSURE	35 kg	35 kg
SUPPLY VOLTAGE	24 V	230 V
WEIGHT	103 kg	50 kg
DIMENSIONS WITHOUT SQUEEGEE	830x540x1.000	830x540x1.000
WIDTH WITH SQUEEGEE	540 mm	540 mm

### PLUS



MECHANICAL®



LINATEX®/OLIRES®



CHROME®

ERGONOMIC HANDLE / PARABOLIC AND ADJUSTABLE SQUEEGEE / REMOVEABLE TANKS / CLEANING SOLUTION DELIVERED TO THE CENTER OF THE BRUSH / INSPECTABLE SOLUTION FILTER, CLOG-FREE



**MACH**  
FLOOR CLEANING MACHINES

MACH - FLOOR CLEANING MACHINES C/O  
EUREKA S.p.A UNIPERSONALE  
VIALE DELL'ARTIGIANATO N. 30/32  
35013 CITTADELLA (PD) ITALY  
TEL +39 049 9481800 - FAX +39 049 9481899  
INFO@MACHCLEANINGMACHINES.COM  
WWW.MACHCLEANINGMACHINES.COM

